

Cyclacel Publication List

Updated June 2011

- [S. Jagan](#), L. A. Paganessi, S. Gezer, A. Rizman, D. Rifai, M. C. Keller, M. L. Larson, P. Venugopal, S. Frame, K. W. Christopherson. Comparison of cytarabine, mitoxantrone, and CNDAC in vitro treatment of AML bone marrow and peripheral blood cells. *J Clin Oncol* **29**: 2011 (suppl; abstr 6588).
- [F. Ravandi](#), S. Faderl, J. E. Cortes, G. Garcia-Manero, E. Jabbour, P. A. Boone, T. M. Kadia, G. Borthakur, W. G. Wierda, J. H. Chiao, H. Kantarjian. Phase I/II study of sapacitabine and decitabine administered sequentially in elderly patients with newly diagnosed acute myeloid leukaemia. *J Clin Oncol* **29**: 2011 (suppl; abstr 6587)
- [Kollareddy M.](#), Zheleva D., Dzubak P., Hajduch M. Identification and characterization of potential tumor cell resistance mechanisms towards a novel aurora kinase inhibitor, CYC116. *Proceedings of the 102nd Annual Meeting of the American Association for Cancer Research*; 2011, Apr 2-6; Orlando, Florida, Abstract 735.
- [Shervanna A.M.](#), Smith J., Bhangal G., Barnett A., McClue S., Tam F.W.K., Cook T. & Pusey C.D. Treatment with a cyclin-dependent kinase inhibitor, seliciclib, is effective in reducing glomerular macrophage numbers and the severity of established experimental glomerulonephritis. *Nephrology* 2011; 16:410-416.
- [Garcia-Manero G.](#), Luger S., Venugopal P., Maness L., Wetzler M., Altman J., Claxton D., Strickland S. A., Foran J. M., Goldberg S. L., Chiao J. H., and Kantarjian H. A Randomized Phase 2 Study of Sapacitabine, An Oral Nucleoside Analogue, in Older Patients with MDS Refractory to Hypomethylating Agents. *52nd Annual Meeting of American Society of Hematology, Session Type: Poster Session I-837. Blood* 2010; 116: Abs. 1857.
- [Wang S.](#), Griffiths G., Midgley C.A., Barnett A.L., Cooper M., Grabarek J., Ingram L., Jackson W., Kontopidis G., McClue S.J., McInnes C., McLachlan J., Meades C., Mezna M., Stuart I., Thomas M.P., Zheleva D.I., Lane D.P., Jackson R.C., Glover D.M., Blake D.G. & Fischer P.M. Discovery and Characterization of 2-Anilino-4-(Thiazol-5-yl)Pyrimidine Transcriptional CDK Inhibitors as Anticancer Agents. *Chem. Biol.*; 2010, 17: 1111-1121.
- [Le Tourneau C.](#), Faivre S., Laurence V., Delbaldo C., Vera K., Girre V., Chiao J., Armour S., Frame S., Green S. R., Gianella-Borradori A., Diéras V. & Raymond E. Phase I evaluation of seliciclib (R-roscovitine), a novel oral cyclin-dependent kinase inhibitor, in patients with advanced malignancies. *Eur. J. Cancer* 2010; 46: 3243-50
- [Green S.R.](#), Choudhary A.K. & Fleming I.N. Combination of sapacitabine and HDAC inhibitors stimulates cell death in AML and other tumour types. *Br. J. Cancer.* 2010 103:1391-9.
- [Pozzi S.](#), Cirstea D., Santo L., Nabikejje D., Patel K., Luly K.M., Gharti-Chhetry G., Vallet S., Eda., Hideshima T., Green S.R., Anderson K.C., Scadden D. & Raje N. CYC065, a potent derivative of seliciclib, is active in multiple myeloma in preclinical studies. *52nd Annual Meeting of American Society of Hematology, Session Type: Poster Session II-879. Blood* 2010; 116 :Abs. 2999.
- [Kamei H.](#), Jackson R.C., Zheleva D. & Davidson F.A. An integrated pharmacokinetic-pharmacodynamic model for an Aurora kinase inhibitor. *J Pharmacokinetic Pharmacodyn*; 2010, 37:407-434.
- [Frame S.](#), Green S.R., Zheleva D., Armour S., Hogben M., Munro C., MacCallum D.E. & Blake D. Synthetic lethal approaches to optimising clinical utility of anticancer therapies. *The British Association of Cancer Research 50th Anniversary Meeting Hallmarks of Cancer: From Mechanisms to Therapies*; 2010, Jun 13-15; Edinburgh, Scotland, Preferred Paper 6.3.

[Garcia-Manero, G.](#), Luger, S. M., Venugopal, P., Maness, L. J., Wetzler, M., Altman, J. K., Claxton, D., Strickland, S. A., Chiao, J. H., Kantarjian, H.; A randomized phase II study of sapacitabine in MDS refractory to hypomethylating agents. *J Clin Oncol* 28:15s, 2010 (suppl; abstr 6528)

[Scaltriti M.](#), Eichhorn P., Gili M., Guzman M., Aura C., Jimenez J., Prudkin L., Green S.R., Cortés J., Chandarlapaty S., Mai S., Hudis C.A., Rosen N. & Baselga J. Cyclin E amplification, a novel mechanism of resistance to trastuzumab in HER2 amplified breast cancer. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington DC, Abstract 22.*

[Frame S.](#), Armour S., Munro C., Hogben M., Jones R., Blake D.G., MacCallum D.E. & Green S.R. Understanding the pathways involved in the repair of CNDAC induced DNA damage. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington DC, Abstract 3502.*

[Chen R.](#), Chen Y., Green S.R., Wierda W.G. & Plunkett W. A novel derivative of the Cdk inhibitor roscovitine that induces apoptosis in CLL and overcomes stromal cell-mediated protection. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington DC, Abstract 4431.*

[Frame S.](#), Hogben M., Munro C., Blake D., Green S. & Zheleva D. Therapeutic potential of CDK inhibitors in MLL leukemias. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington, DC, Abstract 3886.*

[Kollareddy M.](#), Zheleva D., Dzubak P. & Hajdich M. Tumor cell resistance mechanisms to aurora inhibitors. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington, DC, Abstract 633.*

[Hollick J.J.](#), Thomas M.G., Flynn C.J., Jones S.D., McLachlan J., Scaerou F., Emery A., Rogers N.L., Choudhary A., Thomson G., Green S.R., Glover D.M. & Blake D.G. Discovery, biological characterization and oral antitumor activity of polo-like kinase 1 (Plk1) selective small molecule inhibitors. *Proceedings of the 101st Annual Meeting of the American Association for Cancer Research; 2010, Apr 17-21; Washington, DC, Abstract 4435.*

[Galimberti F.](#), Thompson SL, Liu X, Li H, Memoli V, Green SR, DiRenzo J, Greninger P, Sharma SV, Settleman J, Compton DA, Dmitrovsky E. Targeting the cyclin E-Cdk-2 complex represses lung cancer growth by triggering anaphase catastrophe. *Clin. Cancer Res.* 2010; 16:109-20.

[Garcia-Manero G.](#), Luger S., Venugopal P., Maness L. J., Meir Wetzler M., Altman, J., Claxton D.F., Strickland S., Faderl S., Chiao J. and Kantarjian H. J. A Randomized Phase 2 Study of Sapacitabine, An Oral Nucleoside Analogue, in Older Patients with Myelodysplastic Syndrome (MDS) Refractory to Hypomethylating Agents. *Blood (ASH Annual Meeting Abstracts)* 2009 114: 1758.

[Kantarjian H.](#), Garcia-Manero G., Luger S., Venugopal P., Maness L. J., Meir Wetzler M., Stock W., Coutre S., Borthakur G., and Chiao J. A Randomized Phase 2 Study of Sapacitabine, An Oral Nucleoside Analogue, in Elderly Patients with AML Previously Untreated or in First Relapse. *Blood (ASH Annual Meeting Abstracts)* 2009 114: 1061

[Kantarjian H.](#), Garcia-Manero G., O'Brien S., Faderl S., Ravandi F., Westwood R., Green S. R., Chiao J. H., Boone P. A., Cortes J., and William Plunkett, W. Phase I Clinical and Pharmacokinetic Study of Oral Sapacitabine in Patients With Acute Leukemia and Myelodysplastic Syndrome. *Journal of Clinical Oncology* 2010 28:285-291

[Angela B.Y. Hui](#), Shijun Yue, Wei Shi, Nehad M. Alajez, Emma Ito, Simon R. Green, Sheelagh Frame, Brian O'Sullivan, and Fei-Fei Liu. Therapeutic Efficacy of Seliciclib in Combination with Ionizing Radiation for Human Nasopharyngeal Carcinoma *Clin. Cancer Res.* 2009 15:3716

Frame S., MacKay R.H., Hogben M., Connolly C., Anderson S., Fleming I.N., Davis S., Blake D., Green S. Exploiting the unique mechanism of action of sapacitabine (CYC682) to obtain synergy with other therapeutic agents for clinical use in Acute Myeloid Leukemia, **14th Congress of the European Hematology Association (EHA), June 4-7, 2009, Berlin, Germany, Abstract 0761.**

Garcia-Manero G., Luger S., Venugopal P., Maness L., Wetzler M., Coutre S., Stock W., Borthakur G., Chiao J.H., & Kantarjian H. A randomized phase II study of sapacitabine, an oral nucleoside analogue, in elderly patients with AML previously untreated or in first relapse or previously treated MDS, **J Clin Oncol 27:15s, 2009 (suppl; abstr 7021).**

Yeo W-L., Goh B-C., Le Tourneau C., Green S.R., Chiao J.H., Siu L.L. "A phase II randomized study of oral seliciclib in patients with previously treated nasopharyngeal carcinoma", **J Clin Oncol 27:15s, 2009 (suppl; abstr 6026).**

Green S.R., Frame S., Anderson S., Hogben M., MacCallum D.E., Wood G., Wilson S., Workman P., McDonald E. & Zheleva D. Derivatives of seliciclib with improved potency both *in vitro* and *in vivo* as novel cyclin dependent kinase (CDK) inhibitors. **In: Proceedings of the 100th Annual Meeting of the American Association for Cancer Research; 2009 Apr 18-22; Denver, CO. Philadelphia (PA): AACR; 2009. Abstract 3863.**

Green S.R., MacKay R.H., MacCallum D.E., Melville J., Frame S. & Fleming I.N. Synergistic interactions between sapacitabine (CYC682) and inhibitors of either histone deacetylase or methyltransferase in Acute Myeloid Leukemia cell lines. **In: Proceedings of the 100th Annual Meeting of the American Association for Cancer Research; 2009 Apr 18-22; Denver, CO. Philadelphia (PA): AACR; 2009. Abstract 4552.**

Galimberti F., Thompson S., Liu X, Green S.R., Memoli V., Compton D. & Dmitrovsky E. Targeting the cyclin E-Cdk-2 complex represses lung cancer growth by triggering apoptosis and anaphase catastrophe. **In: Proceedings of the 100th Annual Meeting of the American Association for Cancer Research; 2009 Apr 18-22; Denver, CO. Philadelphia (PA): AACR; 2009. Abstract 4784.**

Hsieh W-S, Soo R, Peh B-K, Loh T, Dong D, Soh D, Wong L-S, Green S, Chiao J, Cui C-L, Lai Y-F, Lee S-C, Mow B, Soong R, Salto-Tellez M and Goh B-C. Pharmacodynamic Effects of Seliciclib, an Orally Administered Cell Cycle Modulator, in Undifferentiated Nasopharyngeal Cancer. **Clin. Cancer Res. 2009 15:1435**

Mistry HB, MacCallum DE, Jackson RC, Chaplain MA, Davidson FA. Modeling the temporal evolution of the spindle assembly checkpoint and role of Aurora B kinase. **Proc Natl Acad Sci U S A. 2008 Dec 23;105(51):20215-20**

Fleming I, N, Choudhary, A. K, Mackay, R. H, Green, S.R & Davis, S. The nucleoside analogue sapacitabine (CYC682) synergises with histone deacetylase inhibitors in multiple tumour types. Poster. 20th EORTC-NCI-AACR Meeting. **EJC Supplement, 2008 6 (12);150**

Fleming, I.N., Hogben, M., Frame, S., McClue, S.J. & Green, S.R. Synergistic inhibition of ErbB signalling by combined treatment with seliciclib and ErbB-targeting agents. **Clin. Can. Res. 2008 14: 4326-35**

Pezzotta A, Mister M, Monteferrante G, Cassis L, Azzollini N, Aiello S, Satta M, Benigni A, Remuzzi G, Noris M. Effect of seliciclib (CYC202, R-roscovitine) on lymphocyte alloreactivity and acute kidney allograft rejection in rat. **Transplantation 2008; 85:1476-82.**

Griffiths G., Scaerou F., Sorrell D., Duckmanton A., Tosh C., Lewis S., Midgley C., McClue S., Jackson W., MacCallum D., Thomas M., Wang S., Fischer P., Glover D & Zheleva D. Anti-tumor activity of CYC116, a novel small molecule inhibitor of Aurora kinases and VEGFR2. **Proceedings of the 99th Annual Meeting of the American Association for Cancer Research; 2008, Apr 12-16; San Diego, CA, Abstract #5644.**

[Hajduch M.](#), Vydra D., Dzubak P., Dziechciarkova M., Stuart I. & Zheleva D. *In vivo* mode of action of CYC116, a novel small molecule inhibitor of Aurora kinases and VEGFR2.

Proceedings of the 99th Annual Meeting of the American Association for Cancer Research; 2008, Apr 12-16; San Diego, CA, Abstract #5645.

[Griffiths G.](#), Tosh C., Kollareddy M., Duckmanton M., Lewis S., Scaerou F. & Zheleva D. The basis of cell sensitivity to Aurora A/B inhibitors. **Proceedings of the 99th Annual Meeting of the American Association for Cancer Research;** 2008, Apr 12-16; San Diego, CA, Abstract #651.

[MacCallum D.](#), Melville J., Campbell K., & Green S.R., Combination studies with the oral Aurora kinase inhibitor CYC116 and chemotherapeutic agents. **Proceedings of the 99th Annual Meeting of the American Association for Cancer Research;** 2008 Apr 12-16; San Diego, CA. Philadelphia (PA): AACR; 2008. Abstract #4015.

[Chassagnole C.](#), Fernandez E., Scaerou F., Snell C., Zheleva D., Glover D. M., Jackson R.C., & Fell D.A., Systems biology analysis of a novel Aurora kinase inhibitor: CYC116. **Proceedings of the 99th Annual Meeting of the American Association for Cancer Research;** 2008 Apr 12-16; San Diego, CA. Philadelphia (PA): AACR; 2008. Abstract #1645.

[Yue S.](#), Hui A., Shi W., Alajez N., Green S.R., Frame S., & Liu F-F., Potential therapeutic role of seliciclib in combination with ionizing radiation for human nasopharyngeal carcinoma.

Proceedings of the 99th Annual Meeting of the American Association for Cancer Research; 2008, Apr 12-16; San Diego, CA, Abstract #5511.

[Jackson, R.C.](#), Barnett, A. L., McClue, S.J., & Green, S.R., Seliciclib, a cell-cycle modulator that acts through the inhibition of cyclin-dependent kinases. **Expert Opin. Drug Discov.** 2008 3:131-143.

[McClue, S.](#), and Stuart, I., Metabolism of the trisubstituted purine cyclin-dependent kinase inhibitor seliciclib (R-roscovitine) in vitro and in vivo. **Drug Metab Dispos.** 2008 36:561

[Whittaker SR](#), Te Poele RH, Chan F, Linardopoulos S, Walton MI, Garrett MD, Workman P. The cyclin-dependent kinase inhibitor seliciclib (R-roscovitine; CYC202) decreases the expression of mitotic control genes and prevents entry into mitosis. **Cell Cycle** (2007) 6:3114-31

[Kantarjian. H.](#), Garcia-Manero, G., Faderl, S., Cortes, J., Estrov, Z., Boone, P., Stuart, I., Westwood, R., Green, S., Chiao, J.H., & Plunkett, W. Phase I Study of Sapacitabine, an Oral Nucleoside Analogue, in Patients with Advanced Leukemias or Myelodysplastic Syndromes (MDS). **Blood (ASH Annual Meeting Abstracts)**, Nov 2007; 110: 884

[Brown C.J.](#), McNae I., Fischer P. M., and Walkinshaw, M. D., Crystallographic and mass spectrometric characterisation of eIF4E with N7-alkylated cap derivatives. **J Mol Biol.** Sep 7;372(1):7-15. Epub 2007 Jun 15

[Hallaert DY](#), Spijker R, Jak M, Derks IA, Alves NL, Wensveen FM, de Boer JP, de Jong D, Green SR, van Oers MH, Eldering E. Crosstalk among Bcl-2 family members in B-CLL: seliciclib acts via the Mcl-1/Noxa axis and gradual exhaustion of Bcl-2 protection. **Cell Death Differ.** (2007) 14:1958

[Serova M](#), Galmarini CM, Ghouil A, Benhadji K, Green SR, Chiao J, Faivre S, Cvitkovic E, Le Tourneau C, Calvo F, Raymond E. Antiproliferative effects of sapacitabine (CYC682), a novel 2'-deoxycytidine-derivative, in human cancer cells. **Br J Cancer.** (2007) 97, 628-36.

[Walker, R.G.](#), Grant K.M., Thomson, G and Mottram, J.C. Leishmania CRK3:CYC6 cyclin-dependent kinase as a drug target. 2007 **Molecular Parasitology meeting XVII**, Woods Hole, Boston, USA

[Plunkett W.](#), Garcia-Manero G., Faderl S., Cortes J., Boone P., Hilbe C., Green, S.R., Chiao J.H., Kantarjian H. Phase I study of sapacitabine, an oral nucleoside analogue, in patients with advanced leukemias or myelodysplastic syndromes. **Journal of Clinical Oncology**, 2007 **ASCO Annual General Meeting Proceedings Part I**, vol.25, No. 18S (June 20 Supplement), 2007: 7063.

Zoja C., Casiraghi F., Conti S., Corna D., Rottoli D., Cavinato R. A., Remuzzi G., Benigni A. Cyclin-dependent kinase inhibition limits glomerulonephritis and extends lifespan of mice with systemic lupus. *Arthritis Rheum.* (2007), **56**:1629-37.

Fleming I. N., Gudmundsdottir E., Sleight R., Green S. R. Identification of biomarkers to aid clinical development of sapacitabine (CYC682), a novel nucleoside analogue. AACR Meeting, Los Angeles 2007. *Proc. Amer. Assoc. Cancer. Res.* 2007;**48**: Poster 3183.

Frame S., Fleming I.N., Watson M., MacCallum D.E., Anderson S., Melville J., Watt K., McClue S. & Green S.R. Synergistic combinations between the oral CDK inhibitor, Seliciclib, and EGFR inhibitors in NSCLC. AACR Meeting, Los Angeles 2007. *Proc. Amer. Assoc. Cancer. Res.* 2007;**48**: Poster 4003.

Benson C., White J., De Bono J., O'Donnell A., Raynaud F., Cruickshank C., McGrath H., Walton M., Workman P., Kaye S., Cassidy J., Gianella-Borradori A., Judson I., Twelves C. A phase I trial of the selective oral cyclin-dependent kinase inhibitor seliciclib (CYC202; R-Roscovitin). Administered twice daily for 7 days every 21 days. *British Journal of Cancer* (2007) **96**, 29-37.

Bertoni F., Lacrima K., Rinaldi A., Vignati S., Martin V., Tibiletti M.G., Gaidano G., Catapano C.V. Cyclin-dependent kinase inhibitor seliciclib shows in vitro activity in diffuse large B-cell lymphomas. *Leukemia and Lymphoma*, 2007;**48**: 158-167.

Andrews M.J.I., Kontopidis G., McInnes C., Plater A., Innes L., Cowan A., Jewsbury P., Fischer P.M. REPLACE: A strategy for iterative design of cyclin-binding groove inhibitors. *ChemBioChem* 2006, **7**, 1909-1915.

Eldering E., Hallaert D. Spijker R., Jak M., Jaspers A., Derks I.A.M., Alves N.L., De Boer J.P., De Jong D., Green S.R., Van Lier R., Van Oers M. Attacking oncogene addiction in B-CLL: seliciclib first engages the Mcl-1/Noxa axis, after which gradual exhaustion of Bcl-2 protection leads to Bax activation. *Blood*, **108**, 11, Nov 16, 2006. Poster and Abstract #2103.

Chassagnole C; Jackson RC; Hussain N; Bashir L; Derow C; Savin J; Fell DA. Using a mammalian cell cycle simulation to interpret differential kinase inhibition in anti-tumour pharmaceutical development. *BioSystems* (2006); **83**: 91-97.

Iurisci L., Filipski E., Reinhardt J., Bach S., Gianella-Borradori A., Iacobelli S., Meijer L., Levi F. Improved tumor control through Circadian Clock induction by seliciclib, a cyclin-dependent kinase inhibitor. AACR April 2006. *Cancer Res* 2006; **66**(22): 10720-8

Scaerou F., Duncan K., McLachlan J., Griffiths G., Duckmanton A., Sorrell D., Baxter C., Jones D., Thomson G., Stuart I., Jackson W., Connolly C., Innes L., Wood G., Jones S., Thomas M., McInnes C., Kontopidis G., Lewis S., Kollareddy M., Glover D., Westwood R., Jackson R., Zheleva D. Selective Aurora A inhibitors – in vitro potency, specificity and cellular mode of action. Poster. 18th EORTC-NCI-AACR Meeting. 2006. *EJC Supplement, Vol. 4, 12*, Abs.278.

Tolcher A., Calvo E., Camona ., Patnaik A., Papadopoulos K., Gianella-Borradori A., Chiao J. H., Cohen R. B. Phase I study of sapacitabine, an oral nucleoside analogue, in patients with refractory solid tumors or lymphomas. 18th EORTC-NCI-AACR Meeting 2006. *EJC Supplement, Vol. 4, 12*, Abs. 463

Hsieh, W.S., Peh B.K., Loh T., Chiao J.H., Soo R., Green S.R., Lai Y.F., Salto-Tellez R., Soong R., Goh B.C. Pharmacodynamic effects of seliciclib (R-Roscovitin, CYC202) in patients with undifferentiated nasopharyngeal cancer (NPC) using a window trial design. 18th EORTC-NCI-AACR Meeting 2006. *EJC Supplement, Vol. 4, 12*, Abs. 279.

Krystof V., Cankar P., Frysova I., Slouka J., Kontopidis G., Dzubak P., Hajduch M., Srovnal J, de Azevedo Jr. W., Orsag M., Paprskarova M., Rolcik J., Latr A., Fischer P.M., Strnad M. 4-Arylazo-3, 5-diamino-1H-pyrazole CDK Inhibitors: SAR study, crystal structure in complex with CDK2, selectivity, and cellular effects. *J. Med. Chem.* 2006, **49**, 6500-6509.

[McInnes C.](#), Mazumdar A., Mezna M., Meades C., Midgley C., Scaerou F., Carpenter L., Mackenzie M., Taylor P., Walkinshaw M., Fischer P., Glover D. Inhibitors of Polo-like kinase reveal roles in spindle-pole maintenance. *Nature Chemical Biology*, 2006;2:608-17.

[Gilbert J.](#), Carducci M.A., Baker S.D., Dees E.C., Donehower R. A Phase 1 study of the oral metabolite, CS-682, administered once daily 5 days per week in patients with refractory solid tumor malignancies. *Invest New Drugs* 2006;24: 499-508.

[Walker, R.G.](#), Gomes F.C., Thomson G, Grant K.M., Mottram J.C. Leishmania mexicana cdc2-related kinase 3 (CRK3) as a therapeutic drug target. Poster. **11th International Congress of Parasitology (ICOPA XI), Glasgow, August 2006.**

[Frame S.](#), Zheleva D. Targeting glycogen synthase kinase-3 in insulin signalling. *Expert Opin Ther Targets*. 2006 Jun; 10(3): 429-44.

[McInnes C.](#) Improved lead-finding for kinase targets using high-throughput docking. *Curr Opin Drug Discov Devel*. 2006 May; 9(3): 339-47.

[Thomas M.P.](#), McInnes C. Structure-based discovery and optimization of potential cancer therapeutics targeting the cell cycle. *IDrugs*. 2006 Apr; 9(4): 273-8.

[Thomas, M.P.](#), McInnes, C., Fischer, P.M. Protein structures in virtual screening; a case study with CDK2. *J. Med. Chem.* 2006, 49, 92-104.

[Delaunoy T.](#); Burch P.A.; Reid J.M.; Camoriano J.K.; Kobayash T.; Braich T.A.; Kaur J.S.; Rubin J.; Erlichman C. A phase I clinical and pharmacokinetic study of CS-682 administered orally in advanced malignant solid tumors. *Invest New Drugs*, 2006 Feb.

[Wang S.](#), Zhelev N.Z.; Duff S.; Fischer P.M. Synthesis and biological activity of conjugates between paclitaxel and the cell delivery vector Penetratin. *Bioorg. and Med. Chem. Letters* 2006;16:2628-31.

[MacCallum D.E.](#), Melville J., Watt K., Jackson W., Wilson S.; McDonald E., Workman P., Green S.R. Novel cyclin dependent kinase (CDK) inhibitors induce down regulation of Mcl-1 and apoptosis in multiple myeloma cells. *AACR Meeting, Washington, DC, Proc. Amer. Assoc. Cancer. Res.* 2006;47: Poster 2069.

[Fleming I.N.](#), Watson, M. & Green, S.R. Combination analysis between seliciclib (CYC202; R-roscovitine) and other molecularly targeted anti-cancer agents in Non-Small Cell Lung Cancer. *AACR Meeting, Washington, DC, Proc. Am. Assoc. Cancer Res.* 2006;47: Poster 3838.

[Kontopidis G.](#); McInnes C.; Pandalaneni S.R.; McNae I.; Gibson D.; Mezna M.; Thomas M.; Wood G.; Wang S.; Walkinshaw M.D.; Fischer P.M. Differential Binding of Inhibitors to Active and Inactive CDK2 Provides Insights for Drug Design. *Chemistry & Biology*, February 2006, 13, 201-211

[McIntyre N. A.](#), Thomas M., Kontopidis G., McInnes C., Wang S., Fischer P., Westwood N. J. Synthesis of novel ring constrained thiazole-pyrimidine CDK inhibitors. **20th International Congress Heterocyclic Chemistry**, August 2005, Palermo, Italy.

[McInnes, C.](#) Structure based optimisation of Cyclin Dependant Kinase Inhibitors. November 2005. **AccelrysWorld Conference.**

[McInnes C.](#) PharmaDiscovery 2005. Kinases in drug discovery. *IDrugs*. 2005 Jul; 8(7): 551-4.

[Uhrinova S.](#); Uhrin D.; Powers H.; Watt K.; Zheleva D.; Fischer P.; McInnes C.; Barlow P.N. Structure of free MDM2 N-terminal domain reveals conformational adjustments that accompany p53-binding. *J Mol Biol.* 2005 Jul 15; 350: 587-98.

[McInnes C.](#); Fischer P.M. Strategies for the design of potent and selective kinase inhibitors. *Curr Pharm Des.* 2005; 11(14): 1845-63. Review

[Siegel-Lakhai W.S.](#) Clinical Pharmacology of Molecular Targeted AntiCancer Therapy. Chapter Three: Cyclin Dependent Kinase Inhibitors. **PhD Thesis, 2005**, pp.103-120.

[Soares M.L.](#), Haraguchi S., Torres-Padilla M.E., Kalmar T., Carpenter L., Bell G., Morrison A., Ring C.J., Clarke N.J., Glover D.M., Zernicka-Goetz M. Functional studies of signalling pathways in peri-implantation development of the mouse embryo by RNAi. **BMC Dev. Biol.** 2005 Dec 28, 5(1): 28 (Epub ahead of print).

[Glover, D.](#) Aurora and Polo as targets for cancer therapy. (Oral Presentation) **Can. Res.** 2005 11 (23, suppl.) Plenary Session 7.

[Cui C-Y](#), Wong L., Ahmad B., Goh B-C, Chiao J.H., Green S.R., Pervaiz S., Soong R., Hsieh W-S, Tham L-S, Soo R., Lu W-L, Zhang Q., Mow B. In vitro activity of the cyclin-dependent kinase inhibitor, seliciclib (CYC202 or R-roscovitine), in nasopharyngeal carcinoma (NPC) cell lines. **Can. Res.** 2005 11 (23, suppl) C41.

[Hsieh W.S.](#), Peh B.K., Loh T., Chiao J.H., Soo R., Cui C.Y., Green S.R., Lai Y.F., Salto-Tellez M., Mow B., Goh B.C. Pharmacodynamic effects of seliciclib (R-roscovitine, CYC202) in patients with undifferentiated nasopharyngeal cancer (NPC) using a window trial design. **Can. Res.** 2005 11 (23, suppl) A79.

[Serova M.](#), Ghoual A., Benhadji K. A., Cvitkovic E., Chiao J., Rombotis S., Lokiec F., Calvo F., Raymond E. CYC682, a novel 2'-deoxycytidine-type antimetabolite, enhances the anti-proliferative effects of oxaliplatin, doxorubicin, docetaxel, and gemcitabine in human colon cancer cells. **Clin. Can. Res.** 2005 11 (23, suppl) A202.

[Serova M.](#), Galmarini C.M., Ghoual A., Benhadji K.A., Phillips E.M., Cvitkovic E., Chiao J., Rombotis S, Lokiec F., Calvo F., Raymond E. CYC682, a novel 2'-deoxycytidine analogue, reveals an original cytotoxic profile as compared to other nucleoside analogues such as aracytine, and gemcitabine in human colon, breast, lung, and ovarian cancer cells. **Can. Res.** 2005 11 (23, suppl) A201.

[Atanasova G.](#), Jans R., Zhelev N., Mitev V. and Poumay, Y. Effects of the cyclin-dependent kinase inhibitor CYC202 (*R-roscovitine*) on the physiology of cultured human keratinocytes **Biochemical Pharmacology**; 70:6:824-836.

[Tolcher A.](#), Gianella-Borradori A., Calvo E., Frenz L., Benettaib B., Cohen R.B. Phase I and pharmacokinetic trial of oral administration of CYC682, a novel 2' deoxycytidine type anti-metabolite pro-drug, in patients with advanced solid tumors or lymphoma. **Proc. Am. Soc. Clin. Oncol.** 2005: Abs. 2026.

[Raynaud F.I.](#), Whittaker S.R., Fischer P.M., McClue S., Walton M.I., Barrie S.E., Garrett M.D., Rogers P., Clarke S.J., Kelland L.R., Valenti M., Brunton L., Eccles S., Lane D.P., Workman P. In vitro and in vivo pharmacokinetic-pharmacodynamic relationships for the trisubstituted aminopurine cyclin-dependent kinase inhibitors olomoucine, bohemine and CYC202. **Clin Cancer Res.** 2005 Jul 1;11(13):4875-87

[Raje N.S.](#), Kumar S., Hideshima T., Roccaro A., Ishitsuka K., Yasui J., Shiraishi N., Chauhan D., Munshi N.C., Green S.R., Anderson K.C. Seliciclib (CYC202 or R-roscovitine), a small-molecule cyclin-dependent kinase inhibitor, mediates activity via down-regulation of *Mcl-1* in multiple myeloma. **Blood**, 1 Aug 2005: 106:3.

[Raje N.S.](#), Kumar S., Hideshima T. Roccaro A., Ishitsuka K., Chauhan D., Munshi N.C. Green S.R., Anderson K.C. CYC202 (seliciclib or R-roscovitine), a small molecule cyclin dependent kinase inhibitor, overcomes drug resistance via down-regulation of *Mcl-1* in Multiple Myeloma (MM). **Proc. Am. Soc. Clin. Oncol.** 2005: Abs. 6532.

[Siegel-Lakhai W.S.](#), Rodenstein D.O., Beijnen J.H., Gianella-Borradori A., Schellens J.H., Talbot D.C. Phase I study of seliciclib (CYC202 or R-roscovitine) in combination with gemcitabine (gem)/cisplatin (cis) in patients with advanced Non-Small Cell Lung Cancer (NSCLC). **Proc. Am. Soc. Clin. Oncol.** 2005: Abs. 2060;

Lacrima K., Vignati S., Taborelli M., Zucca E., Cavalli F., Tibiletti M.G., Gianella-Borradori A., MacCallum D.E., Catapano C., Bertoni F. In vitro activity of cyclin-dependent kinase (CDK)-inhibitor seliciclib (CYC202, R-roscovitine) in mature B-cell lymphomas. *Annals of Oncology* 2005; **16** (suppl. 5): v136 (Abs. 337).

Lacrima K., Valentini A., Lambertini C., Taborelli M., Rinaldi A., Zucca E., Catapano C., Cavalli F., Gianella-Borradori A., MacCallum D.E., Bertoni F. In vitro activity of cyclin-dependent kinase inhibitor CYC202 (seliciclib, R-roscovitine) in mantle cell lymphomas. *Ann. Oncol.* (2005): **16**: 1169-1176.

Alvi A.J., Austen B., Weston V.J., Fegan C., MacCallum D., Gianella-Borradori A., Lane D.P., Hubank M., Powell J.E., Wenbin W., Taylor M R., Moss P.A., Stankovic T. A novel CDK inhibitor, CYC202 (R-roscovitine), overcomes the defect in p53-dependent apoptosis in B-CLL by down-regulation of genes involved in transcription regulation and survival. *Blood*, 2005;**105**:11.

MacCallum D.E., Melville J., Frame S., Watt K., Anderson S., Gianella-Borradori A., Lane D.P., Green S.R. Seliciclib (CYC202, R-Roscovitine) induces cell death in multiple myeloma cells by inhibition of RNA polymerase II-dependent transcription and down-regulation of Mcl-1. *Cancer Res.* 2005; **65**:(12): June 15.

Kontopidis G., McNaie I.W., Kan D., Patterson A., Taylor P., Worrall L., Walkinshaw M.D. Studying protein-ligand interactions using protein crystallography. *Crystallography Reviews*, Jan-Mar 2005:11:1:61.

Fischer P.M., Gianella-Borradori A. Recent progress in the discovery and development of CDK inhibitors. *Exp. Opin. Investig. Drugs* 2005: **14**: 457.

Wang S., Griffiths G., Midgley C., Meades C., O'Boyle J., Gibson D., Wood G., Grabarek J., Cooper M., Mezna M., Jackson W., Perry A., Stuart I., McClue S.J., McInnes C., Thomas M., Yuill R., Westwood R., Lane D.P., Jackson R.C., Fischer P.M. Discovery and evaluation of CDK transcriptional inhibitors as anti-cancer agents. *Proc. Am. Assoc. Cancer Res.*, 2005: **46**: Abs. LB-110.

Frame S., Anderson S., Watt K., Fleming I.N., MacCallum D.E., Melville J., Watson M., Gianella-Borradori A. and Green S.R. Identification and clinical validation of biomarkers to support the development of Seliciclib (CYC202) *Proc Amer Assoc Cancer Res*, 2005;**46**:460.

McInnes. C.; Mezna M.; Fischer P. M.; Progress in the Discovery of Polo-like Kinase Inhibitors. *Current topics in Medicinal Chemistry* 2005: **5**:181.

Milovanceva-Popovska, M.; Kunter U., Ostendorf T., Petermann A., Rong S., Eitner F., Kerjaschki D., Barnett A., Floege J. R-roscovitine (CYC202) alleviates renal cell proliferation in nephritis without aggravating podocyte injury. *Kidney International*, April 2005;**67**:4:1215.

Agbottah, E.; de La Fuente C., Nekhai S., Barnett A., Gianella-Borradori A., Pumfery A., Kashanchi F. Antiviral Activity of CYC202 in HIV-1-infected Cells. *J. Biol. Chem.* 2005;**280**: 3029.

Nutley, B. P.; Raynaud F.I., Wilson S.C., Fischer P.M., Hayes A., Goddard P.M., McClue S.J., Jarman M., Lane D. P., Workman P. Metabolism and pharmacokinetics of the cyclin dependent kinase inhibitor CYC202 in the mouse. *Mol. Cancer Ther.* 2005;**4**:125.

Kontopidis, G.; Wu S.-Y., Zheleva D., Taylor P., McInnes C., Lane D.P., Fischer P.M., Walkinshaw M.D. Structural and biochemical studies of human proliferating cell nuclear antigen complexes provide a rationale for cyclin association and inhibitor design. *Proc. Natl. Acad. Sci. USA* 2005;**102**:1871-1876.

Gherardi, D.; D'Agati V., Chu T.-H. T., Barnett A., Gianella-Borradori A., Gelman I. H., Nelson P. J. Reversal of Collapsing Glomerulopathy in Mice with the Cyclin-Dependent Kinase Inhibitor CYC202. **J. Amer. Soc. Nephrol.** 2004;**15**:1212.

Zoja, C.; Conti S., Corna D., Rottoli D., Casiraghi F., Gianella-Borradori A., Remuzzi G., Benigni A. CYC202 (R-roscovitine), a Cyclin Dependent Kinase (CDK) inhibitor reduces autoimmune renal injury and prolongs life in murine lupus nephritis. **Renal Week 2004**: St. Louis, MO, USA, 2004:Abs. SU-PO707.

Sheryanna, A. M., Smith J., Barnett A., McClue S., Cook T., Pusey C.D. Cyclin Dependent Kinase (CDK) Inhibitor CYC202 Ameliorates Experimental Crescentic Glomerulonephritis. **Renal Week 2004**: St. Louis, MO, USA, 2004; Abs. SU-PO715.

Fischer, P. M.; Glover D. M., Lane D. P. Targeting the cell cycle. **Drug Discovery Today: Therapeutic Strategies** 2004;**1**:417.

Bettencourt-Dias M., Giet R., Sinka R., Mazumdar A., Lock W.G., Balloux F., Zafiroopoulos P. J., Yamaguchi S., Winter S., Carthew R.W., Cooper M., Jones D., Frenz L., Glover D. M. Genome-wide survey of protein kinases required for cell cycle progression. **Nature** 2004, **432**:980.

Wang, S. Midgley C., Scaerou F., Grabarek J., Griffiths G., Jackson W., Lyon C., McClue S.J., McInnes C., Meades C., Westwood R., Glover D.M., Lane D.P., Jackson R.C., Fischer P.M. Discovery, optimisation and pharmacological evaluation of 2-anilino-4-heteroaryl-pyrimidines as potent and orally bioavailable aurora kinase inhibitors. **Special AACR Conference. Cell Cycle and Cancer: Pathways and Therapies**: Fort Lauderdale, FL, USA, 2004; Abs. B28.

Raje, N.; Kumar S., Hideshima T., Ishitsuka K., Roccaro A., Yasui H., Hamasaki M., Shiraishi N., Chauhan D., Munshi N.C., Green S.R., Anderson K.C. In Vitro Activity of a Novel Small Molecule Cyclin Dependent Kinase Inhibitor, CYC202 (seliciclib or R-Roscovitine), in Multiple Myeloma (MM). Session Type: Poster Session 629-III. **Blood** 2004; **104**(11):Abs. 3359.

Green, S.R. Biomarker Toolkit for the Early Clinical Development of CDK Inhibitors. **AACR Cell Cycle and Cancer: Pathways and Therapies Conference 2004**, Fort Lauderdale, FL, USA.

Uhrinova S., McInnes C., Zheleva D., Powers H., Watt K., Fischer P., Barlow P. Solution Structure of the N-terminal domain of the human form of Mdm2 in the absence of binding partner p53. **European Experimental NMR Conference 2004**, Sept. 6, 2004, Lille, France.

Thomas, M., McInnes C., Fischer P.M. Protein structures in virtual screening. **Structural Biology of Cancer Targets, CNIO Cancer Conference**, Madrid, Sept 2004.

Wang S., Meades C., Wood G., Osnowski A., Anderson S., Yuill R., Thomas M., Mezna M., Jackson W., Midgley C., Griffiths G., Fleming I., Green S., McNae I., Wu S.Y., McInnes C., Zheleva D., Walkinshaw M.D., Fischer P.M. 2-Anilino-4-(thiazol-5-yl)pyrimidine CDK inhibitors: synthesis, SAR analysis, X-ray crystallography, and biological activity. **J. Med. Chem.** 2004;**47**:1662.

Andrews M.J.I., McInnes C., Kontopidis G., Innes L., Cowan A., Plater A., Fischer P.M. Design, synthesis, biological activity and structural analysis of cyclic peptide inhibitors targeting the substrate recruitment site of cyclin-dependent kinase complexes. **Org. Biomol. Chem.** 2004;**2**:2735.

Poondra R.R., Fischer P.M., Turner N.J. Efficient palladium-catalyzed cross-coupling of β -chloro-alkylidene/arylidene malonates using microwave chemistry. **J. Org. Chem.** 2004;**69**:6920.

MacCallum D.E., Fleming I.N., Melville J., Watson M., Frame S., Watt K., Anderson S., Gianella-Borradori A., Lane D.P., Green S. The mode of action of CYC202 (R-roscovitine) a cyclin dependent kinase inhibitor currently in phase II clinical trials. **Eur. J. Cancer** 2004;**2** (8, Suppl.):126.

Green S.R., Frame S., Watt K., Anderson S., Fleming I.N., MacCallum D.E., Melville J., Watson M., Gianella-Borradori A., Lane D.P. Identification of clinically relevant pharmacodynamic biomarkers in patients treated with the CDK inhibitor CYC202 (R-roscovitine). **Eur. J. Cancer** 2004;**2** (8, Suppl.):129.

Filipski E., Filipski M., Georgsson H., Gianella-Borradori A., Levi F. Cyclin-dependent kinase (CDK) inhibitor CYC202 (R-roscovitine) induces clock gene mPer2 mRNA expression rhythm in tumor: relevance for antitumor efficacy. **Eur. J. Cancer** 2004;**2** (8, Suppl.):126.

Wang S., Wood G., Meades C., Griffiths G., Midgley C., McNae I., McInnes C., Anderson S., Jackson W., Mezna M., Yuill R., Walkinshaw M., Fischer P.M. Synthesis and biological activity of 2-anilino-4-(1H-pyrrol-3-yl)pyrimidine CDK inhibitors. **Bioorg. Med. Chem. Lett.** 2004;**14**: 4237.

Fischer P.M. Apoptosis and chemotherapy: helping cancer cells to die. **Eur. Biopharm. Rev.** 2004: Summer issue: 78.

Zhang G-J.; Safran M., Wei W., Sorensen E., Lassota P., Zhelev N., Neuerg D. S., Shapiro G., Kaelin W.G. Jr. Bioluminescent imaging of Cdk2 inhibition in vivo. **Nat. Med.** 2004: **10**:643.

Fischer P.M. The use of CDK inhibitors in oncology: a pharmaceutical perspective. **Cell Cycle.** 2004;**6**:742.

Fischer P.M., Lane D.P. Small-molecule inhibitors of the p53-suppressor HDM2: have protein-protein interactions come of age as drug targets? **Trends Pharmacol. Sci.** 2004;**25**:343.

White J.D., Cassidy J., Twelves C., Benson C., Pacey S., Judson I., McGrath H., Rose F., Frenz L. A phase I trial of the oral cyclin dependent kinase inhibitor CYC202 in patients with advanced malignancy. **Proc. Am. Soc. Clin. Oncol.** 2004: Abs. 3042.

Fischer P.M. The design of drug candidate molecules as selective inhibitors of therapeutically relevant protein kinases. **Curr. Med. Chem.** 2004;**11**:1563.

McInnes C., Wang S., Anderson S., O'Boyle J., Jackson W., Kontopidis G., Meades C., Mezna M., Thomas M., Wood G., Lane D.P., Fischer P.M. Structural determinants of CDK4 inhibition and design of selective ATP competitive inhibitors. **Chem. Biol.** 2004;**11**:525

de la Motte S., Gianella-Borradori A. Pharmacokinetic model of R-roscovitine and its metabolite in healthy male subjects. **Int. J. Clin. Pharmacol. Ther.** 2004;**42**:232.

Green S.R., Frame S., Watt K., Anderson S., Fleming I.N., MacCallum D.E.; Melville J., Neuwirth L., Gianella-Borradori A., Lane D.P. Identification of pharmacodynamic biomarkers for CYC202 (R-roscovitine), a cyclin dependent kinase inhibitor. **Proc. Am. Assoc. Cancer Res.** 2004;**45**:Abs. 3669.

[Griffiths G.](#), Midgley C., Grabarek J., Cooper M., Glover D., Ingram L, Jackson W., Meades C., Mezna M., O'Boyle J., Wood G., Yuill R., Lane D.P., Jackson R., Fischer P.M., Wang S. Identification and characterization of kinase inhibitors that inhibit CDK2, CDK7 and CDK9 activities, induces p53 and result in reduced proliferation and induction of apoptosis of human tumor cells. *Proc. Am. Assoc. Cancer Res.* 2004:45:Abs. 837.

[MacCallum D.E.](#), Melville J., Watt K., Anderson S., Frame S., Gianella-Borradori A., Lane D.P., Green S.R. CYC202 (R-roscovitine) induces apoptosis in multiple myeloma cells by down regulation of Mcl-1. *Proc. Am. Assoc. Cancer Res.* 2004:45: Abs. 823.

[Valentini A.](#), Lambertini C., Rinaldi A., Taborelli M., Lacrima K., Zucca., Cavalli F., Catapano C., MacCallum D.E., Bertoni F. Activity of cyclin-dependent protein kinase (CDK) inhibitor CYC202 (R-roscovitine) in mantle cell lymphoma. *Proc. Am. Assoc. Cancer Res.* 2004:45:Abs. 827

[Zheleva D.](#), McInnes C., Baxter C, Gibson D., MacCallum D., Powers H., Duncan K., Bailey K., Cummings L., Thomas M., Wang S., Turner N., Uhrinova S., Barlow P., Taylor P., Walkinshaw M., Lane D.P., Fischer P.M. Bisarylsulfonamides – novel small molecule inhibitors of p53-Mdm2 interaction. *Proc. Am. Assoc. Cancer Res.* 2004:45:Abs. 5552.

[Lane D.P.](#), Fischer P.M. Turning the key on p53. *Nature* 2004:427:789.

[Raynaud F.I.](#), Fischer P.M., Nutley B.P., Goddard P.M., Lane D.P., Workman P. Cassette dosing pharmacokinetics of a library of 2,6,9-trisubstituted purine CDK2 inhibitors prepared by parallel synthesis. *Mol. Cancer Ther.* 2004:3:353.

[Whittaker S. R.](#), Walton M. A., Garrett M. D., Workman P. The cyclin-dependent kinase inhibitor CYC202 (R-roscovitine) inhibits retinoblastoma protein phosphorylation, causes loss of cyclin D1, and activates the mitogen-activated protein kinase pathway. *Cancer Research* 2004:64:262.

[Grabarek J B](#), Zernicka-Goetz M. RNA interference in mammalian systems – a practical approach. *Adv. Exp. Med. Biol.* 2003: 544:205

[Grabarek J B](#). RNA silencing. *Adv. Exp. Med. Biol.* 2003: 544:145

[Milovanceva-Popovska M.](#), Kunter U., Ostendorf T., Petermann A., Rong S., Barnett A., Floege J. Inhibition of cyclin dependent kinase-2 (CDK2) by CYC202 (R-roscovitine) decreases cell proliferation but does not aggravate podocyte injury in experimental membranous nephropathy. *ASN Renal Week 2003*, Abs. SA-PO194.

[Nelson P.J.](#), Gherardi D., D'Agati V.D., Chu T.-H.T., Barnett A., Gianella-Borradori A., Gelman I.H. Reversal of collapsing glomerulopathy in mice with the cyclin-dependent kinase inhibitor CYC202. *ASN Renal Week 2003*, Abs. SA-FC118.

[Fischer P.M.](#) CDK versus GSK-3 inhibition: a purple haze no longer? *Chem. Biol.* 2003:10: 1144.

[Jackson, R. C.](#), Predictive Software for Drug Design and Development – Recent Progress and Future Developments. *Pharm. Dev. Regul.* (2003) 1(3):159.

[McInnes C.](#), Second Annual Protein Kinases Conference: Addressing the challenges across the Kinome; Kinase drug discovery and disease biology; *IDrugs* 2003: 6(12):1135.

[McInnes C.](#), Second Annual Protein Kinases Conference: Addressing the challenges across the Kinome; Clinical Update, new therapies and new technologies; *IDrugs* 2003: 6(12):1138.

Wang S., Anderson S., Clarke R., Duncan K., Eland S., Jackson W., Lyon C., McClue S., Meades C., Osnowski A., Perry A., Renachowski S., Stuart I., Thomas M., Westwood R., Wood G., Yuill R., Lane D., Jackson R., Fischer P. Optimization and evaluation of substituted 2-phenylamino-4-(thiazol-5-yl)-pyrimidine CDK inhibitors as oral anti-cancer drug candidates. *Proc. Amer. Assoc. Cancer Res.* 2003; 44: Abs. 3974.

Grabarek JB. Frenz L., Bell G., Glover D.M. RNAi in the Gene to Drug Approach. *European Biopharmaceutical Review*, 2003:Winter issue:38.

Alvi A.J., Gianella-Borradori A., Lane D.P., Austen B., Moss P., Stankovic T. A novel CDK inhibitor, CYC202 (R-roscovitine), overcomes the defect in p53-dependent apoptosis in B-cell chronic lymphocytic leukaemia by down-regulation of genes involved in transcription regulation and repair. *Blood* 2003;102(11):435a.

Kontopidis G., Andrews M.J.I., McInnes C., Cowan A., Powers H., Innes L., Plater A., Griffiths G., Paterson D., Zheleva D.I., Lane D.P., Green S., Walkinshaw M.D., Fischer P.M. Insights into cyclin groove recognition: complex crystal structures and inhibitor design through ligand exchange. *Structure* 2003;11:1537.

Šarek J., Klinot J., Džubák P., Klinotová E., Nosková V., Křeček V., Kořínková G., Thomson J.O., Janošťáková A., Wang S., Parsons S., Fischer P.M., Zhelev N.Z., Hajdúch M. New lupane derived compounds with pro-apoptotic activity in cancer cells: synthesis and structure-activity relationships. *J. Med. Chem.* 2003;46:5402.

Nelson P.J., Gherardi D., D'Agati V.D., Chu T.-H.T., Barnett A., Gianella-Borradori A., Gelman I.H. Reversal of collapsing glomerulopathy in mice with the cyclin-dependent kinase Inhibitor CYC202. *ASN Renal Week 2003*, Abs. SA-FC118.

Faivre S., Pierga J.-Y., Delbaldo C., Laurence V., Vera K., Bekradda M., Armand J.-P., Gianella-Borradori A., Dieras V., Girre V., Raymond E. A Phase I and pharmacokinetic trial of CYC202, a novel oral cyclin-dependent kinase inhibitor, in patients with advanced solid tumors: exploration of three administration schedules. *Clin. Cancer Res.* 2003;9(16; Suppl.):Abs. A154.

Benson C., White J., Twelves C., O'Donnell A., Cruickshank C., Tan S., Gianella-Borradori A., Judson I. A phase I trial of the oral cyclin dependent kinase inhibitor CYC202 in patients with advanced malignancy. *Proc. Am. Soc. Clin. Oncol.* 2003;22:209.

Pierga J.-Y., Faivre S., Vera K., Laurence V., Delbaldo C., Bekradda M., Armand J.-P., Gianella-Borradori A., Dieras V., Raymond E. A phase I and pharmacokinetic trial of CYC202, a novel oral cyclin-dependent kinase inhibitor, in patients with advanced solid tumors. *Proc. Am. Soc. Clin. Oncol.* 2003;22:210.

Fiebig H.-H., Maier A., Metz T., Schüler J., Gianella-Borradori A. Schedule dependency of combining CYC202 (R-roscovitine), a cyclin-dependent kinase inhibitor, with docetaxel in human tumor xenografts in vivo. *Clin. Cancer Res.* 2003;9(16; Suppl.):Abs. C81.

Wang S., Wood G., Meades C., Griffiths G., Midgley C., Grabarek J., Cooper M., Anderson S., Jackson W., Yuill R., McNae I., McInnes C., Zheleva D., Walkinshaw M., Lane D.P., Jackson R., Fischer P.M. Discovery of 2-phenylamino-4-(pyrrol-3-yl)-pyrimidines new class of CDK inhibitors: synthesis, crystal structures, in vitro anti-proliferative activity and biochemical evaluation. *Clin. Cancer Res.* 2003;9(16; Suppl.):Abs. C61.

[McInnes C.](#), Mezna M., Griffiths G., Grabarek J., Midgely C., O'Boyle J., Green S., Meades C., Osknowski A., Melville J., Plater A., Pandit N., Taylor P., Zheleva D., Wang S., Jackson R., Glover D., Lane D., Walkinshaw M., Fischer P.M., Structure-based ligand discovery and anti-tumor effects of polo-like kinase-1 ATP-competitive inhibitors. **Clin. Cancer Res.** 2003;**9**(16; Suppl.):Abs. A191.

[Fischer P.M.](#) The design, synthesis, and application of stereochemical and directional peptide isomers: a critical review. **Curr. Protein Peptide Sci.** 2003;**4**:339.

[Fischer P.M.](#), Bell G., Midgley C., Sleigh R., Glover D.M. Cell cycle target validation: approaches and successes. **TARGETS: Innovations in Genomics & Proteomics** 2003;**2**:154.

[Fischer P.M.](#), Gianella-Borradori A. CDK inhibitors in clinical development for the treatment of cancer. **Exp. Opin. Investig. Drugs** 2003;**12**:955.

[Fischer P.M.](#) CNIO cancer conference: targeted search for anticancer drugs. **Exp. Opin. Investig. Drugs** 2003;**12**:1039.

[Grabarek J.B.](#), Wianny F., Plusa B., Zernicka-Goetz M., Glover D.M. RNA interference by production of short hairpin dsRNA in ES cells, their differentiated derivatives, and in somatic cell lines. **Biotechniques** 2003;**34**:734.

[Fischer P.M.](#) Functions and pharmacological inhibitors of cyclin-dependent kinases. **Celltransmissions, Newsletter for Cell Signaling and Neuroscience Research** 2003;**19**(1):3.

[Zheleva D.I.](#), Lane D.P., Fischer P.M. The p53-Mdm2 pathway: targets for the development of new anticancer therapeutics. **Mini-Rev. Med. Chem.** 2003;**3**:257.

[Wu S.Y.](#), McNaie I., Kontopidis G., McClue S.J., McInnes C., Stewart K.J., Wang S., Zheleva D.I., Marriage H., Lane D.P., Taylor P., Fischer P.M., Walkinshaw M.D. Discovery of a novel family of CDK inhibitors with the Program LIDAEUS: structural basis for ligand-induced disordering of the activation loop. **Structure** 2003;**11**:399.

[Fischer P.M.](#), Endicott J., Meijer L. Cyclin-dependent kinase inhibitors. In: **Progress in Cell Cycle Research**, Volume 5, Cell Cycle Regulators as Therapeutic Agents, pp 235-248 (Meijer L., Jézéquel A., Roberge M., Eds.). Editions de la Station Biologique de Roscoff, France.

[Green S.R.](#), Frame S., Fleming I.N., Neuwirth L., Watt K., Stewart K.J., Blake D.G., Gianella-Borradori A., McClue S.J., Jackson W.A., Plater A.R., Westwood R., Lane D.P. Identification of pharmacodynamic biomarkers to support clinical trials of CYC202 (R-roscovitine), a cyclin dependent kinase inhibitor. **Proc. Am. Assoc. Cancer Res.** 2003;**44**:2967.

[Maier A.](#), Kelter G., Gianella-Borradori A., Fiebig H.H. Antitumor activity of CYC202, a cyclin-dependent kinase inhibitor, in human tumor xenografts in vitro. **Proc. Am. Assoc. Cancer Res.** 2003;**44**:3119.

[Fischer P.M.](#) Diketopiperazines in peptide and combinatorial chemistry. **J. Peptide Sci.** 2003;**9**:9.

[McInnes C.](#), Andrews M.J.I., Zheleva D.I., Lane D.P., Fischer P.M. Peptidomimetic design of CDK inhibitors targeting the recruitment site of the cyclin subunit. **Curr. Med. Chem. Anti-Cancer Agents.** 2003;**3**:57.

[Laurence V.](#), Faivre S., Vera K., Pierga J., Delbaldo C., Bekradda M., Armand J., Gianella-Borradori A., Dieras V., Raymond, E. Preliminary results of an ongoing phase I and pharmacokinetic study of CYC202, a novel oral cyclin-dependent kinases inhibitor, in patients with advanced malignancies. **Eur. J. Cancer** 2002;**38**(Suppl. 7):49.

Fischer P.M., Wang S., Clarke R., Jackson W., Lyon C.E., McClue S., McInnes C., Westwood R., Walkinshaw M., Lane D.P. Structure-based design and optimisation of substituted 2-phenylamino-4-(thiazol-5-yl)-pyrimidine CDK inhibitors. *Eur. J. Cancer* 2002;**38** (Suppl. 7):124.

McClue S.J., Blake D, Clarke R, Cowan A, Cummings L, Fischer PM, MacKenzie M, Melville J, Stewart K, Wang S, Zhelev N, Zheleva D, Lane D.P. In vitro and in vivo antitumor properties of the cyclin dependent kinase inhibitor CYC202 (R-roscovitine). *Int J Cancer*. 2002;102(5):463-8.

Zheleva D.I. , McInnes C., Gavine A.-L., Zhelev N.Z., Fischer P.M., Lane D.P. Highly potent p21WAF1-derived peptide inhibitors of CDK-mediated pRb phosphorylation: delineation and structural insights into their interaction with cyclin A. *J. Peptide Res.* 2002;**60**:257.

Fischer P.M., Zheleva D.I. Liquid-phase peptide synthesis on polyethylene glycol (PEG) supports using strategies based on the 9-fluorenylmethoxycarbonyl amino protecting group: application of PEGylated peptides in biochemical assays. *J. Peptide Sci.* 2002;**8**:529.

Atkinson G.E., Cowan A., McInnes C., Zheleva D.I., Fischer P.M., Chen W.C. Peptide inhibitors of CDK2-cyclin A that target the cyclin recruitment-site: structural variants of the C-terminal Phe. *Bioorg. Med. Chem. Lett.* 2002;**12**:2501.

Jackson R.C. The deeper the knowledge the better the drugs? *Scrip Magazine*, June 2002: (113):31.

Grabarek J.B., Plusa B., Glover D.M., Zernicka-Goetz M. Efficient delivery of dsRNA into zona-enclosed mouse oocytes and preimplantation embryos by electroporation. *Genesis* 2002: **32**(4):269.

McClue S.J., Fischer P.M., Blake D., Clarke R., Zheleva D., Zhelev N., Duff S., Stewart K., Cummings L., Krauss E., Wang S., Melville J. Studies on the mechanism of action of CYC202 (R-roscovitine). *Proc. Amer. Assoc. Cancer Res.* 2002;**43**:3303.

Wang S., Blake D., Clarke R. Duff S., McClue S.J., McInnes C., Melville J., Stewart K., Taylor P., Westwood R., Wood G., Wu S.-Y., Zhelev N.Z., Zheleva D.I., Walkinshaw M., Lane D.P., Fischer P.M. 4-Heteroaryl-2-phenylamino-pyrimidines, a new class of CDK2 inhibitors: discovery, optimisation, and anti-proliferative activity in vitro and in vivo. *Proc. Amer. Assoc. Cancer Res.* 2002;**43**:4202.

Green S. Midgley C.A., Blake D.G., Clarke R.G., Frenz L.M., Glenn D.E., Grabarek J., Hall-Jackson C.A., Jones D.O., MacCallum S.F., Watt K.H., Fischer P.M., Bell G., Glover D.M. Mitosis as a source for the identification of novel cancer chemotherapeutic targets. *Proc. Amer. Assoc. Cancer Res.* 2002;**43**:4762.

Benson C., Raynaud F., O'Donnell A., Gianella-Borradori A., Westwood R., McClue S., Workman P., Judson I. Pharmacokinetics (PK) of the oral cyclin dependent kinase inhibitor CYC202 (R-roscovitine) in patients with cancer. *Proc. Amer. Assoc. Cancer Res.* 2002;**43**:100526.

Jackson R.C. Structure-based drug design and its contributions to cancer chemotherapy; *Anti-Cancer Drug Design*, Baguley, BC, ed., 2001:171. Academic Press, Orlando, FL, USA.

Wang S., McClue S.J., Ferguson J.R., Hull J.D., Stokes S., Parsons S., Westwood R., Fischer P.M. Synthesis and configuration of the cyclin-dependent kinase inhibitor roscovitine and its enantiomer. *Tetrahedron:Asymmetry* 2001;**12**(20):2891.

- Krausz E., Watt K., Cummings L., Baxter C., Blake D.G.** Dual cell-based assay protocols applicable for medium throughput screening. **Biochemica** 2001:(2):26.
- Fischer P.M., Krausz E., Lane D.P.** Cellular delivery of impermeable effector molecules in the form of conjugates with peptides capable of mediating membrane translocation. **Bioconjugate Chem.** 2001:12(6): 825.
- Raynaud F.I., Goddard P., Fischer P., McClue S., Workman P.** Cassette dosing pharmacokinetics of 107 analogues of the trisubstituted purine CDK2 inhibitor roscovitine. **Proc. Amer. Assoc. Cancer Res.** 2001:42:2056.
- Fischer P.M., Zheleva D.I., McInnes C., Gavine A.L., Zhelev N.Z., Lane D.P.** Peptide inhibitors of cyclin-dependent kinases derived from p21(WAF1): delineation and structural insight into their interactions with cyclin A. **Clin. Cancer Res.** 2001:7(Suppl.):169.
- Fischer, P.M.** Recent advances and new directions in the discovery and development of cyclin-dependent kinase inhibitors. **Curr. Opin. Drug Discovery Dev.** 2001:4(5):623.
- Mattock H., Jares P., Zheleva D.I., Lane D.P., Warbrick E., Blow J.J.** Use of peptides from p21 (Waf1/Cip1) to investigate PCNA function in Xenopus egg extracts. **Exp. Cell Res.** 2001:265:242.
- Lipinski K.S., Djeha A.H., Krausz E., Lane D.P., Searle P.F., Mountain A., Wrighton C.J.** Tumour-specific therapeutic adenovirus vectors: repression of transgene expression in healthy cells by endogenous p53. **Gene Therapy** 2001: 8:274.
- Krausz E., Watt K., Cummings L., Baxter C., Blake D.G.** Dual Cell-based Assay Protocols Applicable for Medium Throughput Screening. **Biochemica** 2001:2.26.
- Kovarova H., Hajduch M., Korinkova G., Halada P., Krupickova S., Gouldsworthy A., Zhelev N., Strnad M.** Proteomics approach in classifying the biochemical basis of the anticancer activity of the new olomoucine-derived synthetic cyclin-dependent kinase inhibitor, bohemine. **Electrophoresis** 2000:21:3757.
- Fischer P.M., Lane D.P.** Inhibitors of cyclin-dependent kinases as anti-cancer therapeutics. **Curr. Med. Chem.** 2000:7(12):1213.
- F. I. Raynaud, B.P. Nutley, P.M. Goddard, L.R Kelland, M. Valenti, L. Brunton, D. Eady, G. Bell, H. Marriage, P. Fischer, S. McClue, D. Lane, P. Workman.** Antitumour activity and oral bioavailability of the cyclin dependent kinase (CDK) inhibitor roscovitine. **Clin. Cancer Res.** 2000:6(Suppl.):317.
- B.P. Nutley, F. I. Raynaud, S.C. Wilson, P. Fischer, S. McClue, P. Goddard, M. Jarman, D. Lane, P. Workman.** Comparative metabolism of the cyclin dependent kinase inhibitor roscovitine and the deuterated analogue d₉-roscovitine in Balb C mice. **Clin. Cancer Res.** 2000:6(Suppl.):318.
- Hietanen S., Lain S., Krausz E., Blattner, C., Lane D.P.** Activation of p53 in cervical carcinoma cells by small molecules. **Proc. Natl. Acad. Sci. USA,** 2000:97:8501.
- Luciani M.G., Hutchins J.R., Zheleva D., Hupp T.R.** The C-terminal regulatory domain of p53 contains a functional docking site for cyclin A. **J. Mol. Biol.** 2000:300:503.
- Raynaud F.I., Nutley B.P., Goddard P.M., Fischer P., McClue S., Lane D., Workman P.** Cassette dosing is a valid approach to evaluate the pharmacokinetics of trisubstituted purines such as Olomoucine, Roscovitine and Bohemine. **Br. J. Cancer Res.** 2000:83(Suppl. 1): 68.

- [Atkinson G., Fischer P., Chan W.](#), A Versatile Polymer-Supported 4-(4-Methylphenyl (chloro)methyl)phenoxy Linker for Solid-Phase Synthesis of Pseudopeptides. **J. Org. Chem.** 2000;**65**:5048-5056.
- [Zheleva D.I., Zhelev N.Z., Fischer P.M., Duff S.V., Warbrick E., Blake D.G., Lane D.P.](#) A quantitative study of the in vitro binding of the C-terminal domain of p21 to PCNA: affinity, stoichiometry, and thermodynamics. **Biochemistry**, 2000;**39**:7388.
- [Zheleva D.I., Fischer P.M., Zhelev N.Z., Melville J.E., Gavine A.-L., Lane D.P.](#) Design of cell-permeable peptide inhibitors of CDK4/cyclin D1 complex. **Miami Nat. Biotechnol. Short Reports**, 2000;**11**:25.
- [Zhelev N.Z., Zheleva D.I., Fischer P.M., Duff S.V., Gavine A.-L., Lane D.P.](#) Growth inhibitory effect of peptides derived from the C-terminal domain of p21WAF is mediated by cyclin D1/CDK4 inhibition: PCNA binding is not essential. **Miami Nat. Biotechnol. Short Reports**, 2000;**11**:22.
- [Zheleva D.I., Zhelev N.Z., Duff S.V., Chan W., Goldsworthy A., Fischer P.M., Lane D.P.](#) Affinity capture method for identification of peptide inhibitors of cyclin dependent kinases. **Miami Nat. Biotechnol. Short Reports**, 2000;**11**:83.
- [Fischer P.M., Zhelev N.Z., Wang S., Melville J.E., Fahraeus R., Lane D.P.](#) Structure-activity relationship of truncated and substituted analogues of the intracellular delivery vector Penetratin. **J. Peptide Res.** 2000;**55**:163.
- [Raynaud F.I., Nutley B.P., Goddard P., Fischer P., Marriage H., Lane D., Workman P.](#) Pharmacokinetics of the cyclin dependent kinase inhibitors olomoucine, CYC201 and CYC202 in Balb C mice after iv administration. **Clin. Cancer Res.** 1999;**5**:541.
- [Kelland L.R., Rogers P.M., Pestell K.E., Walton M.I., Fischer P., Lane D.P., Workman P.](#) Preclinical antitumour evaluation of cyclin-dependent kinase (cdk) inhibitors. **Proc. Amer. Assoc. Cancer Res.** March 1999;**40**:829.
- [Nutley B., Goddard P., Fischer P., Lane D., Workman P.](#) Plasma, liver, kidney and tumour pharmaco-kinetics of olomoucine, a cyclin-dependent kinase inhibitor, following iv administration in Balb C-mice. Presented at: AACR Annual Meeting, April 10–14, 1999, Philadelphia, PA, USA. **Proc. Amer. Assoc. Cancer Res.** March 1999;**40**:2576.
- [Fahraeus, R., Fischer, P., Krausz, E. Lane, D.P.](#) New approaches to cancer therapies. **J. Pathol.** 1999;**187**:138-146.
- [Fischer P.M., Zhelev N.Z., Fahraeus R., Ball K.L., Warbrick E., Lane, D.P.](#) Intracellular delivery of cell-cycle inhibitor peptides by Penetratin, a 16-residue peptide from the Antennapedia homeoprotein. In **Peptides 1998, Proc. 25th Eur. Peptide Symp.**, Bajusz S., and Hudecz F., Eds., 1999, p. 700-701, Akademiai Kiado, Budapest.